Users meeting 2006.0518.003

5/22/06 9:34:54 PM Untitled #1 Topic ■ 1 Updates to SELPA Manager ■ 1.1 CASEMIS revisions ■ 1.1.1 Added a CASEMIS Table A import, 2004-2005 format □ 1.1.2 CASEMIS fields for 2006-2007 □ 1.1.2.1 Older and newer codes can coexist. • ☐ 1.1.2.2 Report As Of date change affects coded data (Preferences) • ☐ 1.1.2.2.1 Drop-down lists in combo boxes (etc.) will change codes and/or descriptions. • \( \subseteq 1.1.2.2.2 \) Requirements to complete the student data entry form changes. • 🗆 1.1.2.2.3 Underlining (to indicate required fields) changes. ■ 1.1.2.3 Italics in combo boxes indicate a code and/or description from a different reporting period. ■ 1.1.2.4 Added conversion routines between old, 2-digit, and 2006-2007 student service codes. ■ 1.1.2.5 New or revised CASEMIS fields and locations • □ 1.1.2.5.1 A-20 NATIV LANG Demographics tab / existing combo box (coded), renamed from "Home language" to "Native language" • 🗆 1.1.2.5.2 A-21 EARLY\_INT Demographics tab / "Early intervention" (new check box) • □ 1.1.2.5.3 A-22 REFR DATE Dates tab / "Referral" (existing date, previously for infants only). • □ 1.1.2.5.4 A-23 REFR\_BY General tab / "Referred by" (new combo box, coded) • □ 1.1.2.5.5 A-24 PRNT CNST Dates tab / "Consent on" (existing date) NOTE: SELPA Manager allows this field to be used for more than initial consent, for compliance date computations. • □ 1.1.2.5.6 A-25 INIT\_EVAL Dates tab / "Init eval" (new date field) • \( \Boxed{1.1.2.5.7} \) A-26 PLAN\_TYPE General tab / "Plan type" (existing field, revised to 2-digit codes). • □ 1.1.2.5.8 A-32 DISABILIT1

Demographics tab / "Disability" (existing combo box, coded, revised codes).

• □ 1.1.2.5.9 A-33 DISABILIT2

Demographics tab / "Disability 2" (new combo box, coded, revised codes).

• ☐ 1.1.2.5.10 A-36 FEDSET INF

School tab / "Federal infant setting" (new combo box, coded)

• □ 1.1.2.5.11 A-37 FEDSET PRS

School tab / "Federal preschool setting" (new combo box, coded)

• □ 1.1.2.5.12 A-38 FEDSET SCH

School tab / "Federal school setting" (new combo box, coded)

• □ 1.1.2.5.13 A-39 IN REGCLS

School tab / "% In regular class" (existing numeric field)

Untitled #1 Topic • □ 1.1.2.5.14 A-41 TRAN\_GOAL1 Outcomes tab / "Transition goals - 1" (new combo box, coded) • □ 1.1.2.5.15 A-42 TRAN GOAL2 Outcomes tab / "Transition goals - 2" (new combo box, coded) • □ 1.1.2.5.16 A-43 TRAN GOAL3 Outcomes tab / "Transition goals - 3" (new combo box, • □ 1.1.2.5.17 A-44 TRAN\_GOAL4 Outcomes tab / "Transition goals - 4" (new combo box, • □ 1.1.2.5.18 A-45 MHS ELIGIB Demographics tab / "MHS eligible" (existing check box) • □ 1.1.2.5.19 A-47 SPEC\_TRANS Demographics tab / "Transp. reg'd." or Transportation tab / "Required" (existing check box, same in both locations) • ☐ 1.1.2.5.20 A-49 GRAD\_PLAN Outcomes tab / "Graduation plan" (new combo box, coded) • □ 1.1.2.5.21 B-5 SERVICE Services tab / "SVC" and "Service name" columns (existing). Revised codes. • ☐ 1.1.2.5.21.1 Note: Limited conversion between "old", 2-digit, and "new" codes. • ☐ 1.1.2.5.22 B-6 PROVIDER Services tab / "Pvdr code", "Provider type" columns (new). • ☐ 1.1.2.5.22.1 Infant/MHS only in CASEMIS. ■ 1.1.2.5.22.2 Flagged as an error if absent for infant/MHS SELPA Manager. An allowed entry for others. • ☐ 1.1.2.5.22.3 Not exported to CASEMIS if non-infant/non-MHS. • ☐ 1.1.2.5.23 B-7 LOCATION Services tab / "Loc code", "Location type" columns (new, reg'd. for all services, 2006-2007) • ☐ 1.1.2.5.24 B-8 FREQUENCY Services tab / "Freq code", "Frequency" columns (existing, revised codes). • ☐ 1.1.2.5.24.1 Infant/MHS only in both CASEMIS and SELPA Manager. • ☐ 1.1.2.5.25 B-9 DURATION Services tab / "Mins" column (existing numeric field). • □ 1.1.2.5.25.1 Allowed >0 for non-infant entry in SELPA Manager, but flagged as an error if zero for infant/MHS. • ☐ 1.1.2.5.25.2 CASEMIS specifies for infants or MHS only (not exported for non-infant/non-MHS). • □ 1.1.2.5.26 C-6 DSPL\_TYPE Discipline tab / "Act code" and "Action type" columns. • ☐ 1.1.2.5.26.1 Formerly only one column, non coded. • \( \Bigcap 1.1.2.5.26.2 \) New entries have two different categories of suspension: older entries are assumed as out-of school (Code 20) for the 2006-2007 export. • □ 1.1.2.5.27 C-12 DSPL\_STAT Discipline tab / "ST Code" and "Student status" columns (existing). Added newer codes 10 and 11.

Untitled #1 Topic • □ 1.1.2.5.28 D-18 PST\_SECPRG Outcomes tab / "Post-secondary program" (new combo box, coded) • □ 1.1.2.5.29 D-19 PST SECEMP Outcomes tab / "Post-secondary employment" (new combo box, coded) • ☐ 1.2 CSIS import / export functionality additions □ 1.2.1 Exports: Revised the Transfer... dialog with a "from current selection, to other:" pop-up. To accommodate miscellaneous export types, including the CSIS exports. ■ 1.2.2 CSIS LEAL LC export - to obtain SSID from state • □ 1.2.2.1 "CSIS File Formats FY0405-2004-0331-V5-0.pdf" (pp. 15-16). Uses caret-delimited ("^") file format. □ 1.2.2.2 Students marked as Do Not Report are not exported to CSIS, even if listed in the browse window at the time Transfer... is selected. 
 □ 1.2.2.3 For linked duplicate students, the "master" record is used for the CSIS
 request, even if only the non-master duplicate is in the current selection. • ☐ 1.2.2.4 CSIS Col. 3 - "Institution ID" • 🗆 1.2.2.4.1 7-digit school code plus the 7-digit district code, for the school of attendance, current primary service. • ☐ 1.2.2.5 CSIS Col. 5 - "locally assigned student number" • ☐ 1.2.2.5.1 In SELPA Manager as [Student]CSIS\_local\_stdnt\_nbr ■ 1.2.2.5.2 Assigned as [Student]Student\_ID at time of export • ☐ 1.2.2.5.3 Locally assigned student number is unique to one copy of SELPA Manager \*only\*. • ☐ 1.2.2.5.4 After the export, the CSIS local student number field (labeled "CSIS export") and a note are visible in the student record (Tab 14, Notes/Dups). • ☐ 1.2.2.5.5 The return file (CSIS DIDForceID) must be read into the same copy of the data file, to assign the SSID number in SELPA Manager. • ☐ 1.2.2.6 CSIS Cols. 9-12 or 13-16 (legal and AKA names) • ☐ 1.2.2.6.1 If the "Name type" in SELPA Manager is "Alias", then the student's name will go into the CSIS "AKA" name fields (CSIS Cols. 13-16); otherwise, the name will go into the legal name fields (CSIS Cols. 9-12). • ☐ 1.2.2.7 CSIS Cols. 20-22 - City, State, Country of birth • ☐ 1.2.2.7.1 Added fields on General and Demographics tab: ■ 1.2.2.7.1.1 [Student]Place\_of\_birth\_city ■ 1.2.2.7.1.2 [Student]Place\_of\_birth\_state\_prov • ☐ 1.2.2.7.1.3 [Student]National\_origin\_code • ☐ 1.2.2.8 CSIS Col. 23 - Primary language • ☐ 1.2.2.8.1 SELPA Manager exports the [Student]Student\_language\_code; if empty, it exports the [Student]Native language code instead. • ☐ 1.2.2.9 CSIS Col. 25 - Withdrawal date • ☐ 1.2.2.9.1 [Student\_service]Drop\_D, for most recent primary • ☐ 1.2.3 CSIS ENRA NI export - "Enrollment Update with NCLB Elements " • \( \square\) 1.2.3.1 For sending revised student information to CSIS. • \( \square\) 1.2.3.2 Includes ethnicity, language fluency, and other items.

Untitled #1 Topic • ☐ 1.2.3.3 "CSIS File Formats FY0405-2004-0331-V5-0.pdf" (p. 30) Uses caret-delimited ("^") file format 
 1.2.3.4 Students marked as Do Not Report are not exported to CSIS, even if
 listed in the browse window at the time Transfer... is selected. • 🗆 1.2.3.5 For linked duplicate students, the "master" record is used for the CSIS request, even if only the non-master duplicate is in the current selection. • □ 1.2.3.6 CSIS Col. 3 - "Institution ID" Same as LEAL LC • ☐ 1.2.3.7 CSIS Col. 5 - "locally assigned student number" Same as LEAL LC • □ 1.2.3.8 CSIS Cols. 9-12 or 13-16 (legal and AKA names) Same considerations as LEAL LC • ☐ 1.2.3.9 CSIS Col. 23 - "Student English Proficiency" • ☐ 1.2.3.9.1 SELPA Mgr. writes CSIS codes 1-5 based upon [Student] English\_fluency designation, or [Student]EL\_B if not designated • ☐ 1.2.3.10 CSIS Col. 24 - "English Learner Proficient or Advanced for ELA CST" • ☐ 1.2.3.10.1 Student]EL\_proficient\_B (new, Demographics tab, "EL proficient/advanced" label) • ☐ 1.2.3.11 CSIS Col. 29 - "Reason For Withdrawal" • ☐ 1.2.3.11.1 [Student]CSIS exit reason name and code (new, Outcomes tab, "CSIS exit/withdrawal reason" combo box) • ☐ 1.2.3.12 CSIS Col. 31 - "Parent Education Level" • ☐ 1.2.3.12.1 [Student]CSIS parent ed level name and code (new, School tab, "Parent education level") - the highest education level attained by the student's most educated parent • ☐ 1.2.3.13 CSIS Col. 35 - primary ethnicity ■ 1.2.3.13.1 [Student]Ethnicity code 1 • ☐ 1.2.3.14 CSIS Cols. 36-53 - other ethnicities • ☐ 1.2.3.14.1 Check against [Student]Ethnicity\_code\_2 through 6 • ☐ 1.2.4 CSIS DIDForceID import • ☐ 1.2.4.1 Companion to the CSIS LEAL LC export (above) • ☐ 1.2.4.2 File -> Import... -> Other (menu) -> CSIS DIDForceID. ■ 1.2.5 CSIS-PowerSchool import • \( \subseteq 1.2.5.1 \) Match on last name, first name, and date of birth Interactive for duplicates ■ 1.2.5.2 Reads SSID and Student ID ■ 1.2.6 Direct entry of SSID numbers within SELPA Manager ■ 1.2.6.1 If you didn't use the CSIS LEAL LC export directly from SELPA Manager. • ☐ 1.2.6.2 Preferences option ("Editable SSID") to allow edits once number is assigned (otherwise non-enterable). • 🗆 1.2.6.3 Allowance for linked, duplicate student records to share the same SSID number. • Program will offer to copy from "master" or another "sibling" duplicate record. • 

Program won't allow a different SSID for the same student. • 🗆 1.2.6.4 Administrative function from browse window - highlight student and enter "change ssid number" in Location box. • ☐ 1.3 Other field changes (other than CASEMIS and CSIS) 
 □ 1.3.1 Last name and first name now 80 characters instead of 15 characters.

Untitled #1 Topic • ☐ 1.3.1.1 CASEMIS still limited to 15 characters for each name. characters, but the entry is permitted. • \( \preceq 1.3.2 \) Added 10 more user date fields to the student table, for a total of 20. • □ 1.3.2.1 Can be batch updated from Actions -> Update user fields... • ☐ 1.4 Attendance enhancements (non-web) • ☐ 1.4.1 Attendance registers, limited-user interface • ☐ 1.4.2 Attendance registers, regular user interface ■ 1.5 Web-based IEP changes • ☐ 1.5.1 In-line vs. separate palette • ☐ 1.5.2 Additional "bubble" (tool tip) help on "home" page • ☐ 1.5.3 Duplicate student handling • ☐ 1.5.4.1 First name, last name, record number, student number, or SSN searches in student list. ■ <field name>is regex:<value> format • ☐ 1.5.4.2 First name or last name searches in IEP list. • ☐ 1.5.5 Attendance registers from web interface • □ 1.5.5.1 Data entry • □ 1.5.5.2 Printing • ☐ 1.5.6 Alternate tab (page) order for "DFL2" IEP form. ■ 1.6 Access and security enhancements • ☐ 1.6.1 "Simplified" passwords dialog added ■ 1.6.1.1 Alphabetized user list • ☐ 1.6.2 SSL support for web server • □ 1.6.2.1 Must apply for and obtain permit from licensing authority for SSL • ☐ 1.6.2.1.1 Licensing authority annual costs range from free to \$2000. QualitySSL has special knowledge of 4D Server; annual fee \$129. • ☐ 1.6.2.2 SSL button on first tab of Admin. preferences dialog • ☐ 1.6.2.2.1 Generates an RSA public key (public.pem), private key (key.pem), and certification request (request.txt) for the web licensing authority. • □ 1.6.2.2.2 On licensing, licensing authority returns certificate (cert.pem). cert.pem, key.pem, and public.pem files all go into same folder as program structure, to enable SSL. □ 1.6.2.3 SSL works on Port 443 rather than Port 80 • ☐ 1.6.2.3.1 On Mac OS X can use "Pseudo" to launch 4D Server with web server on Port 443 (for SSL) without "root" login. ■ 1.6.2.3.2 For non-secure (non-SSL) web serving on Mac OS X, SELPA Manager uses Port 8080 (Pseudo not required). • ☐ 1.6.2.3.3 Non-secure port on Windows is standard (Port 80). • ☐ 1.6.3 School-based access restrictions added ■ 1.6.3.1 Based upon school of attendance for student-related tables ■ 1.6.3.2 Based upon school table for schools/districts/teachers • 🗆 1.6.3.3 When viewing a particular teacher, all assignments are shown, regardless of whether a permitted school or not. • □ 1.6.3.4 Override district access restrictions, if also present ■ 1.6.3.5 Not applicable to teachers

Untitled #1 Topic 

 1.6.3.6 If you apply new access restrictions to your own login account during
 the current session, you must press Preferences -> Access restr. button, before they will take effect. • 🗆 1.6.4 New user information report, indicating access restrictions 
 □ 1.6.5 For limited browse interface, program will now list IEPs that a teacher-type
 user has created, as well as any for students for whom they provide services. • ☐ 1.6.6 Enhanced audit trail • ☐ 1.6.6.1 Resizeable, larger form • ☐ 1.6.6.2 Audit trail search capability for administrators • 🗆 1.6.7 Admin. preference to allow a read-write user to perform an internal student transfer to another district, for any listed student. (Preferences -> System 1 tab -> Transfer any listed student (check box) • □ 1.6.7.1 Overrides district access restrictions, when "view all districts" is enabled for the user. 
 □ 1.6.8 The web server now refuses new web connections, if they occur during
 the "excluded time" set in Preferences. Applies to web serving from 4D Server only. • \$\square\$ 1.6.9 Added two exclusions from auto-logoff during the "excluded time" set in Preferences --• 🗆 1.6.9.1 Workstations that are registered to perform print-to-pdf services can stay connected. •  $\square$  1.6.9.2 Administrative users who connect with the shift key held down, can connect during the excluded period. ■ 1.7 Network performance optimizations □ 1.7.1 Goals/objectives list for IEPs (non-web) now loads more quickly (after first time displayed). • \( \subseteq 1.7.1.1 \) If the goals/objectives list changes due to modifications, additions, or deletions, then the first load will be somewhat slower again. • 🗆 1.7.2 Revised student validation operations somewhat to reduce 4D Client - 4D Server network traffic. • \$\square\$ 1.7.3 Revised form type checking routines (IEP form type), to reduce 4D Client -4D Server network traffic. • 🗆 1.7.4 Revised the "building references" mechanism so that it may occur faster across the network (after the first time). ■ 1.8 Printing enhancements • □ 1.8.1 Added SSID to the "default" student verification form. 
 □ 1.8.2 "Overdue" query in Location box now has an option to print a student-byteacher report of the found students. • 🗆 1.8.3 When printing IEPs during data entry, user can now select which goal/ objective records to print (if there is more than one record). • ☐ 1.8.3.1 Applies to DFL2 and 2300 (Mendocino) IEPs only at present. • 

1.8.4 Added a Print assistant dialog, with explanations and thumbnail previews • □ 1.8.4.1 Allows printing from the browse window regardless of the current context. • ☐ 1.8.4.2 Describes the available selection of records for the report. • 🗆 1.8.4.3 Gives the user the option to query/search for a new selection of records. •  $\square$  1.8.5 Added a new student report, students by school of enrollment type (includes percentages and graph) • □ 1.8.5.1 Can also be accessed through district of residence, using print assistant dialog

• ☐ 1.9 General appearance and function changes

Untitled #1 Topic ■ 1.9.1 Browse window changes • ☐ 1.9.1.1 Regular expression (regex) syntax enhancements ■ Added use of standard slash characters (e.g., "/^el/") • 

Added use of certain modifiers, after second slash character. • □ 1 "i" - case insensitive • □ 2 "m" - multi-line • □ 3 "u" - ungreedy • ☐ 4 "e" - no empty string matches •  $\square$  5 These optional parameters can be combined. •  $\square$  Regex searches are sequential (unindexed) queries -- can take a long time for a large number of records. Narrow down selection first with an indexed search, if possible. • ☐ 1.9.1.2 Actions -> CASEMIS report (options) now available from other browse contexts • □ 1.9.1.3 Actions -> Attendance registers... and Actions -> Student by teacher... now accessible from other browse contexts □ 1.9.1.4 Actions -> Error check... (formerly accessible only through Location • ☐ 1.9.1.5 Location box command: "fix IEP orphans" 

 1.9.2 Revised forms to allow for "Aqua" interface on Macintosh, which requires
 more room between objects on the form. • \$\square\$ 1.9.3 Increased the minimum size of most data entry forms (now 780 x 526) pixels) 
 □ 1.9.4 Added Actions -> Spelling... for manual spell checking during data entry.
 Works even if spell-checking (on field exit) is turned off in Preferences. • ☐ 1.9.4.1 Spell checking will work for highlighted text. • 🗆 1.9.5 Added Preference option to display a "short" column order for student

• 🗆 1.9.6 Added some help to the dialog, when adding auxiliary service codes for

services.

the chargeback report (Type 1).